




YTONG

1. "YTONG" RING-BEAM
UNIT
2. "YTONG" FORMWORK
UNIT
3. GLASS WOOL
THERMAL INSULATION
4. EXTERNAL PLASTERING
5. REINFORCEMENT
2 ϕ 8 360.40
6. "YTONG" WALL
7. FIBREGLASS LATH
(PLASTERING
REINFORCEMENT)
8. INTERNAL
PLASTERING



THE SECTION OF THE EXTERNAL LOAD-BEARING WALL


YTONG




1. "YTONG" Floor Panel
2. "YTONG" Ring Beam Unit
3. "YTONG" Wall
4. "YTONG" RTA Lintel
5. Reinforcement 2x8 B60.40
6. Plastering
7. PS. (PROTECTION OF DPC)
8. DPC
9. Drain Pipe
10. Floor Covering
11. "YTONG" Floor Panel
12. Fibreglass Lath (Plastering Reinforcement)
13. Plastering
14. "YTONG" Slab Construction
15. "YTONG" Cellar Wall

YTONG

1. PLASTERING
2. "YTONG" WALL BLOCK
3. "YTONG" RINGBEAM UNIT
4. "YTONG" FORMWORK UNIT
5. 12. FIBRE GLASS LATH (PLASTERING REINFORCEMENT)
6. GLASS WOOL THERMAL INSULATION
7. LATTICE BLIND
8. PLASTERING
9. FLOOR COVERING
11. TH. INSULATION
10. SLAB CONSTRUCTION
13. "YTONG PTA" LINTEL




1. PLASTERING
2. "YTONG" WALL
3. "YTONG" RINGBEAM
UNIT
4. "YTONG" FORMWORK
UNIT
5. 8. FIBREGLASS
THERMAL INSULATION
6. "YTONG" PARTITION
WALL BLOCK
7. FIBRE GLASS LATH
(PLASTERING
REINFORCEMENT)
9. LATTICE BLIND
10. PLASTERING
11. FLOOR COVERING
12. SLAB CONSTR.
13. "YTONG PVA"
LINTEL



WINDOW DETAIL: LINTEL

YTONG



1. PAINTING
2. PLASTERING
3. "YTONG" WALL
4. "YTONG" RINGBEAM UNIT
5. REINFORCED CONCRETE RINGBEAM
6. "YTONG" FORMWORK UNIT
7. GLASS WOOL THERMAL INSULATION
8. PLASTERING
9. "YTONG" SLAB CONCRETE
10. FLOOR COVERING
11. FIBRE GLASS LATH (PLASTERING REINFORCEMENT)


YTONG BUILDING SYSTEM

YTONG ROOF PANEL



Szélesség: 600 és 625
Vastagság: 200, 240, 300
Hossz: 600-6000-ig

YTONG WALL PANEL



Szélesség: 625
Vastagság: 200, 240, 300
Hossz: 600-6000-ig

YTONG FLOOR PANEL



Szélesség: 600 és 625
Vastagság: 200, 240, 300
Hossz: 600-6000-ig

YTONG FORMWORK UNIT



Pu-40; mart Pu-40
600 x 400 x 250
600 x 400 x 300
600 x 400 x 375
500 x 700 x 375 (mart)

YTONG LOAD-BEARING LINTEL



Szélesség: 115/175
Magasság: 125
Hossz: 1300,
1500, 1750, 2000,
2250, 2500, 3000

YTONG FORMWORK UNIT



Pu-20; mart Pu-20
600 x 200 x 200
600 x 200 x 250
600 x 200 x 300
600 x 200 x 375
500 x 200 x 375 (mart)

YTONG LINTEL FOR PARTITION WALL




1300 x 200 x 100
1300 x 200 x 125
1300 x 200 x 150

YTONG előfalazólap




Pef
600 x 200 x 50
600 x 200 x 75

YTONG LINTEL




Szélesség: 200;
250; 300; 375
Magasság: 249
Hossz: 1290, 1490,
1740, 1990, 2240

YTONG PARTITION WALL BLOCK




600 x 200 x 100
600 x 200 x 125
600 x 200 x 150
500 x 200 x 100
500 x 200 x 125
500 x 200 x 150

YTONG RING-BEAM UNIT



600 x 200 x 90
600 x 250 x 90
600 x 300 x 90
600 x 200 x 115
600 x 250 x 115
500 x 300 x 115


YTONG WALL BLOCK



P2-0,5; P4-0,6
600 x 200 x 200
600 x 200 x 250
600 x 200 x 300
P2 600 x 200 x 375
P4 500 x 200 x 375

YTONG FILLER BLOCK

Pbe-15-60, P2-0,5
Pbe-17,5-60, P2-0,5
Pbe-EB60/19-20, P2-0,5



YTONG PARTITION WALL BLOCK G+T




600 x 200 x 100
600 x 200 x 125
600 x 200 x 150

YTONG furatos elem



P2 600 x 200 x 300 furat Ø 200
P2 600 x 200 x 375 furat Ø 240
P4 600 x 200 x 300 furat Ø 200
P4 500 x 200 x 375 furat Ø 240

YTONG WALL BLOCK megfog G+T



P2-0,5 NF+GT; P4-0,6 NF+GT
600 x 200 x 200
600 x 200 x 250
600 x 200 x 300
P2 600 x 200 x 375
P4 500 x 200 x 375

YTONG hőszigetelő falazóhabarcs




Phf 25
25 kg/zsák = 50 l

MOETAR



Pvh 55
25 kg/zsák

YTONG INTERNAL PLASTERING




Pbv
40 kg/zsák

YTONG PLASTERING




Phv
40 kg/zsák


POROTHERM "S" LINTEL




POROTHERM STRESSED LINTEL




POROTHERM STRESSED LINTEL



POROTHERM "S" LINTEL




Kéménykiképzések




Dísztéglakandallókémény

1. YTONG P2, P4 falazat
2. YTONG külső vakolat
3. Dilatációs hézag
4. Vakolat horony
5. Kémény pillér
6. Vakolat erősítő üveg-szövet háló
7. YTONG Pve válaszfal elem



Előregyártott kémény

1. YTONG P2, P4 falazat
2. YTONG belső vakolat
3. YTONG Pve válaszfal elem
4. Ø 8 B60.40 betonacél túske
5. Előre gyártott kémény
6. YTONG Pef előfalazó lap
7. Vakolat erősítő üveg-szövet háló
8. Vakolat horony
9. Pkk kerámia bélésű
10. YTONG köpenyelem



Falazott kémény belső térben

1. Ø 8 B60.40 betonacél túske
2. YTONG Php hőpáncél elemek, alternatíva
3. YTONG P2, P4 falazat
4. Üfalazott kéménypillér
5. Vakolat erősítő üveg-szövet háló